



KL 2

Terminal Box

Plastics

Terminal Box

Product characteristics

- ▶ cost-saving ABS case
- ▶ for connecting 2-wire submersible transmitters
- ▶ integrated pressure balance item
- ▶ 2 signal lines

Optional versions

- ▶ Overvoltage protection
- ▶ HART® connection

The terminal box KL 2 is intended for the professional electrical connection of submersible level transmitters. Thus, it is a cost-effective alternative to our well proven aluminium terminal box KL 1.

A pressure balance item is responsible for the compensation of atmospheric pressure variations. On the supply side a cable without ventilation tube can be used.

Vertical terminal clamps enable easy connection of cables inside the case.

The KL 2 with optional overvoltage protection is additionally equipped with surge arresters with a nominal discharge current of 10 kA.

As a further option the KL 2 is available with a HART® connection.

KL 2



General specifications	
Number of signal lines	2-wire (4 ... 20 mA)
Housing material	plastic ABS, grey
Ingress protection	IP 66
Cable entries	cable gland M16x1.5 Polyamide, seals NBR, IP 68, diameter range: standard 5 ... 10 mm others on request
Atmospheric pressure compensation	pressure balance item with PTFE filter
Terminal clamps	vertical clamps for stranded and solid wires up to 2.5 mm ²
Weight	approx. 220 g
Optional overvoltage protection	
Series resistance	10 Ω for each wire
Nominal discharge current	10 kA (8/20 μs)
Max. rated current	30 mA
Optional HART® connection	
Connections	terminal clamp connection
Wiring diagram	
<p>The ground wires of all components have to be connected!</p> <p>* The supply V_s has to be chosen according to needs of the used transmitter.</p>	
Dimensions (in mm)	
<p>Height of housing: 55 mm</p> <p>Mounting hole \varnothing 4.2</p> <p>Cable gland M16x1.5</p> <p>Pressure balance item</p>	
<p>HART® is a registered trade mark of HART Communication Foundation</p>	

This data sheet contains product specification, properties are not guaranteed. Subject to change without notice.

Ordering code KL 2

KL 2 - ZB.601 -

--	--	--

 -

--	--	--

Version					
	standard	2	0	0	
	over voltage protection	2	0	1	
	HART® communication interface	2	H	0	
	HART® communication interface and over voltage protection	2	H	1	
Special version					
	standard		0	0	0
	customer		9	9	9

consult

HART® is a registered trade mark of HART Communication Foundation

