



Translation

(1) **EC TYPE-EXAMINATION CERTIFICATE**

(2) Equipment or protective system intended for use in potentially explosive atmospheres - **Directive 94/9/EC**



(3) EC-Type Examination Certificate Number

**TÜV 02 ATEX 1841**

(4) Equipment: Display and switching device type AX11-....

(5) Manufacturer: BD SENSORS GmbH

(6) Address: D-95199 Thierstein, Sechsamterstraße 2

(7) This equipment or protective system and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

(8) The TÜV NORD CERT GmbH & Co. KG, TÜV CERT-Certification Body, notified body number N° 0032 in accordance with Article 9 of the Council Directive of the EC of March 23, 1994 (94/9/EC), certifies that this equipment or protective system has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in the confidential report N° 02 YEX 15588801.

(9) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

**EN 50 014: 1997**

**EN 50 020: 1994**

(10) If the sign "X" is placed after the certificate number, it indicates that the equipment or protective system is subject to special conditions for safe use specified in the schedule to this certificate.

(11) This EC-type examination certificate relates only to the design, examination and tests of the specified equipment in accordance to the Directive 94/9/EC. Further requirements of the Directive apply to the manufacturing process and supply of this equipment. These are not covered by this certificate.

(12) The marking of the equipment or protective system must include the following:

 **II (1) 2 G EEx ia IIC T4**

TÜV NORD CERT GmbH & Co. KG  
TÜV CERT-Certification Body  
Am TÜV 1  
D-30519 Hannover  
Tel.: 0511 986-1470  
Fax: 0511 986-2555

Head of the  
Certification Body



**TÜV NORD CERT**

Hanover, 2002-06-05

## SCHEDULE

(13)

(14) **EC-TYPE EXAMINATION CERTIFICATE N° TÜV 02 ATEX 1841**

(15) Description of equipment

The display and switching device type AX11-.... will be switched into 4 to 20 mA loops and it is intended for the display of measured values inside of hazardous explosive areas that require equipment of category 2 resp. 3.

The 4 to 20 mA loop may also be led to transmitters that are certified as category 1 equipment.

The maximum permissible ambient temperature is 70°C.

### Electrical data

Signal- and supply circuit  
(plug, cable or single wire)

in type of protection „Intrinsic Safety“ EEx ia IIC  
only for the connection to certified intrinsically safe circuits  
maximum values see below  
The effective internal capacitance and inductance are negligibly small.

Switching outputs (optional)  
(plug, cable or single wire)

in type of protection „Intrinsic Safety“ EEx ia IIC  
only for the connection to certified intrinsically safe circuits  
Maximum values:  
 $U_o = U_i$   
 $I_o = \sum I_i$   
 $P_o = \sum P_i$   
max. permissible outer sum capacitance 80 nF  
max. permissible outer sum inductance 4,7 mH

The maximum values of the signal- and supply circuit and the optional switching circuits are:

$$U_i = 28 \text{ V}$$

$$\sum I_i = 93 \text{ mA}$$

$$\sum P_i = 660 \text{ mW}$$

(16) Test documents are listed in the test report No.: 02 YEX 15588801.

(17) Special conditions for safe use

none

(18) Essential Health and Safety Requirements

no additional ones



Translation

## 1. SUPPLEMENT to

### EC TYPE-EXAMINATION CERTIFICATE No. TÜV 02 ATEX 1841

of the company: BD SENSORS GmbH  
BD-Sensors-Straße 1  
D-95199 Thierstein

In the future, when assembled with a transmitter, the display and switching device type AX11- may also be manufactured and operated according to the test documents listed in the test report.

The amendments concern the internal design.

The electrical data and all other data apply unchanged for this supplement.

(16) Test documents are listed in the test report N° 04 YEX 551572-1.

(17) Special conditions for safe use  
none

(18) Essential Health and Safety Requirements  
no additional ones

TÜV NORD CERT GmbH & Co. KG  
TÜV CERT-Certification Body  
Am TÜV 1  
D-30519 Hannover  
Tel.: 0511 986-1470  
Fax: 0511 986-2555

Hanover, 2004-06-24

Head of the  
Certification Body

## Translation

## 2. SUPPLEMENT

### to Certificate No.

**TÜV 02 ATEX 1841**

Equipment:

Display and switching device type AX11-...

Manufacturer:

BD SENSORS GmbH

Address:

BD-Sensors-Straße

D-95199 Thierstein

Order number:

8000553831

Date of issue:

2007-06-21

### Amendments:

The display and switching device type AX11-... will be enhanced by the type AX11-DM2XX and the type AX11-DS2XX. The internal design had been changed. In the future the display and switching device type AX11-... may also be manufactured and operated according to the test documents listed in the test report.

This supplement meets the requirements of the following standards:

**EN 60079-0:2004**

**EN 50020:2002**

The marking of the equipment must include the following:

 II (1) 2 G Ex ia IIC T4

### Electrical data:

Signal- and supply circuit  
(plug, cable or single wire)

In type of protection „Intrinsic Safety“ Ex ia IIC  
only for the connection to certified intrinsically safe circuits.  
Maximum values see below.  
The effective internal capacitance and inductance are  
negligibly small.

Switching outputs (optional)  
(plug, cable or single wire)

In type of protection „Intrinsic Safety“ Ex ia IIC  
only for the connection to certified intrinsically safe circuits.

Maximum values:

$$U_o = 28 \text{ V}$$

$$I_o = 93 \text{ mA}$$

$$P_o = 660 \text{ mW}$$

max. permissible outer sum capacitance: 80 nF

max. permissible outer sum inductance: 4.7 mH

The maximum values of the signal- and supply circuit and the optional switching circuits are:

$$U_i = 28 \text{ V}$$

$$I_i = 93 \text{ mA}$$

$$P_i = 660 \text{ mW}$$

2. Supplement to Certificate No. TÜV 02 ATEX 1841

---

(16) The test documents are listed in the test report No. 07203553831.

(17) Special conditions for safe use

None

(18) Essential Health and Safety Requirements

No additional ones

TÜV NORD CERT GmbH, Langemarckstraße 20, 45141 Essen, accredited by the central office of the countries for safety engineering (ZLS), Ident. Nr. 0044, legal successor of the TÜV NORD CERT GmbH & Co. KG Ident. Nr. 0032

The head of the certification body

A handwritten signature in black ink, appearing to read "iV Schwedt".

Schwedt

Hanover office, Am TÜV 1, 30519 Hanover, Tel.: +49 (0) 511 986-1455, Fax: +49 (0) 511 986-1590

Translation

**3. SUPPLEMENT**

to Certificate No. **TÜV 02 ATEX 1841**  
 Equipment: Display and switching device type AX11-....  
 Manufacturer: BD SENSORS GmbH  
 Address: BD-Sensors-Straße 1  
 95199 Thierstein

Order number: 8000555580  
 Date of issue: 2009-10-05

Amendments:

In the future may be also installed the measuring cells in the display and switching device type AX11-...., which are listed in the table below.

Marking	Material	Compensation	Wiring board (s)
DSP 210 U	Stainless steel	no	PD 10_1
DSP 210 K	Stainless steel	yes/passive	PD 10_1
DSP 410 U	Stainless steel	no	PD 7_1, PD 1_2
DSP 410 K	Stainless steel	yes/passive	PD 6, PD 1_2
DSP 411 U	Stainless steel	no	PD 7_1
DSP 411 K	Stainless steel	yes/passive	PD 9
DSP 412 U	Stainless steel	no	PD 7_1
DSP 412 K	Stainless steel	yes/passive	PD 9
DSP 110 U	Stainless steel	no	PD 10_1
DSP 111 U	Stainless steel	no	PD 7_1
DSP 112 U	Stainless steel	no	PD 7_1
DSP 110 K	Stainless steel	yes/passive	PD 10_1
DSP 111 K	Stainless steel	yes/passive	PD 9
DSP 112 K	Stainless steel	yes/passive	PD 9
DSP 413 K	Stainless steel	yes/passive	PD 9

In the measuring cells may be also installed in the future the pressure sensors type 3000 Series, type 5000 Series, type AP301 Series and type SM5103 Series.

The electrical data and all other data apply unchanged for this supplement.

This supplement meets the requirements of these standards:

**EN 60079-0:2006**

**EN 60079-11:2007**

(16) The test documents are listed in the test report No. 09 203 555580-1.

(17) Special conditions for safe use

none

3. Supplement to Certificate No. TÜV 02 ATEX 1841

---

(17) Special conditions for safe use

none

(18) Essential Health and Safety Requirements

no additional ones

TÜV NORD CERT GmbH, Langemarckstraße 20, 45141 Essen, accredited by the central office of the countries for safety engineering (ZLS), Ident. Nr. 0044, legal successor of the TÜV NORD CERT GmbH & Co. KG Ident. Nr. 0032

The head of the certification body

*i.v. [Signature]*  
Schwedt

Hanover office, Am TÜV 1, 30519 Hanover, Tel.: +49 (0) 511 986-1455, Fax: +49 (0) 511 986-1590